

# AN E-Z GUIDE TO UNDERSTANDING THE FIGURE NUMBERS

THE NUMBERS INDICATE THE PIPE SIZE	PRICES VARY ACCORDING TO THE FOLLOWING:
◆ 204 = 2" TO 4" PIPE SIZE	◆ FIGURE #
◆ 510 = 5" TO 10" PIPE SIZE	◆ PIPE SIZE
◆ 1218 = 12" TO 18" PIPE SIZE	◆ HEIGHT OF SUPPORT (CENTER LINE OF PIPE-TOP OF CONCRETE)
◆ 2024 = 20" TO 24" PIPE SIZE	◆ QUANTITY
◆ 2636 = 26" TO 36" PIPE SIZE	

FIGURE #	HEAD TYPE	BASE PLATE TYPE
"A"	120 ∅ CRADLE (FORMED TO FIT PIPE SIZE)	NONE
"C"	120 ∅ CRADLE (FORMED TO FIT PIPE SIZE)	PLAIN (NO HOLES)
"E"	120 ∅ CRADLE (FORMED TO FIT PIPE SIZE)	w/4 SLOTTED HOLES
"B"	120 ∅ CRADLE w/2 - U-BOLTS	NONE
"D"	120 ∅ CRADLE w/2 - U-BOLTS	PLAIN (NO HOLES)
"F"	120 ∅ CRADLE w/2 - U-BOLTS	w/4 SLOTTED HOLES
"BIR"	FLAT PLATE w/1-ROD AND 2 - U-BOLTS	NONE
"DIR"	FLAT PLATE w/1-ROD AND 2 - U-BOLTS	PLAIN (NO HOLES)
"FIR"	FLAT PLATE w/1-ROD AND 2 - U-BOLTS	w/4 SLOTTED HOLES
<b>VALVE SUPPORTS</b>		
"A" VS	RECTANGULAR OR CIRCULAR PLATE TO SUPPORT VALVE	NONE
"C" VS	RECTANGULAR OR CIRCULAR PLATE TO SUPPORT VALVE	PLAIN (NO HOLES)
"E" VS	RECTANGULAR OR CIRCULAR PLATE TO SUPPORT VALVE	w/4 SLOTTED HOLES
<b>FLANGE SUPPORTS</b>		
"A" FS	ANGLE HEAD TO SUPPORT FLANGE	NONE
"C" FS	ANGLE HEAD TO SUPPORT FLANGE	PLAIN (NO HOLES)
"E" FS	ANGLE HEAD TO SUPPORT FLANGE	w/4 SLOTTED HOLES

WHEN ORDERING, SUPPLY THE FOLLOWING INFORMATION:

- ◆ FIGURE #
- ◆ PIPE SIZE
- ◆ HEIGHT (CENTERLINE OF PIPE TO TOP OF CONCRETE) = "D"

All Supports are Hot-Dip Galvanized or Painted After Fabrication.

